MOBICOOL

Our Name is our Mission

- Thermoelectric Coolers and Mini-fridges
- Thermoelectric Soft Coolers
- Absorption Coolers
- Compressor Coolers
- Beer/Wine Coolers

Indoor & Outdoor 2011

Contents

Indoor

Thermoelectric mini-fridges in retro style. Silent thermoelectric refrigerator for studio apartments.

F05 / F15 6 – 7

F16 8

F38 9

Wine & Soda

Wine, beer, water, soft drinks at just the right temperature – with thermoelectric beverage coolers.

D03 10 – 11

D10 / D60 12 – 13

D50 / D53 14 – 15

Inexpensive Design

Entry-level coolers for the tight budget. From the slim 13-litre unit to the 32-litre family size.

U15 19

U26 20

U30 / U32 21 – 22

Classic Range

Thermoelectric car and leisure coolers in classic design. Cooling capacity from 7 – 48 litres.

T07 / T08 16 – 17

T20 18

T26 / T32 23 – 24

T35 25

W35 / W48 26 – 27

Smart & Cool

Thermoelectrics with a “special touch”. New design ideas and 24, 28 or 40 litres capacity.

P24 28

W24 29

W40 30

MOBICOOL Collection 2011

Once again we have put together a fashionable collection for you. The following pages will guide you through the exciting world of mobile cooling in its entire variety. Cooling appliances for home and holiday, work and shopping. Suitable for use all year round and adapted to EU standards. Designed for various customer groups, and with a big fun factor that will add to your sales. Try MOBICOOL and find out how it works!

Trendy

Great for the beach or a big day out! Exciting technology and design details, 40 or 35 litres capacity each.

P40 31

M40 + M35 32 – 33

Q40 34 – 35

Soft & Cool

Thermoelectric soft coolers for shopping, leisure, work. Cooling capacity from 8 – 32 litres and many extras.

S08 / S10 36 – 37

S16 38 – 39

S25 40

S28 / S32 41 – 43

Camping & Professional

40-litre units for awning, holiday apartment and home. Absorption coolers and compressor coolers/freezers.

B40 44 – 45

A40 46

C40 47

Electronic Accessories

Complementary accessories for thermoelectric coolers.

48

Technical data

Quality features, dimensions, logistic details – complete technical information for all products.

49 – 67

Important note concerning "dimensions":

Measurement "L" specifies the shelf length required to store the given product.

For your promotion:

All pictures available on DVD.

Legend

Info at a glance:
the logos below highlight the main features for each product

Supplied with cigarette lighter cord for connection to 12 volts

Ready for connection to 230-volt mains

Supplied with cigarette lighter cord for connection to 24 volts

Supplied with pressure controller for gas operation

Cooling and heating function



MP3 player connection and sound system

Made in Europe

Room service for connoisseurs

Don’t worry, the domestic fridge is not on its way out. The smart indoor coolers by MOBICOOL are a perfect complement though. They provide cooling capacity wherever you need it in your own four walls. You won’t want to do without in the office or workshop either, for drinks and snacks to be kept nice and cool there, too.

Apart from being extremely useful, the versatile coolers are a lot of fun. They suit a generous, urban lifestyle, and their well thought-out design blends with any modern living environment.

Retro charm with „inner riches"

Red, blue or pure white: the thermoelectric mini refrigerators (with about 5 or 15 litres capacity) add colourful accents or perfectly blend with contemporary interiors. Their values are most convincing: maximum use of the available room, great technology, many details for extra convenience. Beverage cans, bottles, snacks – everything stays superbly cool.

The thermoelectric miniature fridges provide cooling up to 20°C below the ambient temperature and will heat as well. Operation from the domestic mains or from the 12-volt car battery.

F05 AC/DC
Mini-fridge

Recessed grip
for convenient transport

Makes room for more:
the handy divider grid

Space to store eight
beverage cans

Supplied in attractive
full colour carton

Contents, specifications and availability are subject to change serving the technical improvement.

F15 AC/DC
Mini-fridges

Grab and go:
the fold-out carrying handle

A divider grid organises
the contents

Space to store fifteen
beverage cans

Supplied in attractive
full colour carton



NEW!

Cooling gets cult status

Minimalist design, tall and slim, in trendy bright colours – this outfit makes the new F16 a great choice for every designer collection. Which would actually be a bit of a waste, because its tangible values are at least just as convincing as its looks. This "truly personal refrigerator" offers 15 litres capacity on a minimal footprint. It easily stores two large bottles upright, and even four of them when you remove the partition. The door has a magnetic catch and reversible hinges.

The thermoelectric F16 cools up to 20°C below ambient temperature and sets beautiful accents in offices, shops and homes.

F16 AC RED
Mini-fridge

F16 AC ACID GREEN
Mini-fridge

F16 AC SKY BLUE
Mini-fridge

F16 AC DARK BLUE
Mini-fridge

Supplied in attractive full colour carton

Contents, specifications and availability are subject to change serving the technical improvement.

NEW!

Lovely quiet …

… and therefore an ideal "roommate" for single people, office workers, students, or senior citizens. The thermoelectric refrigerator is almost noiseless in operation and yields cooling results up to 20°C below the ambient temperature.

About 39 litres in capacity it is just the right size for one-person households or shared office users. Two practical door compartments and two grid trays provide storage for everything required. To make room for 2-litre bottles standing upright just remove one of the trays. The classy silver finish adds a touch of elegance to the new F38. For the young and the young at heart there's an attractive version in red.

F38 AC SILVER
Mini-fridge

F38 AC RED
Mini-fridge

Silent cooling service:
F38 in the office

Versatile interior with
height-adjustable grid trays

Supplied in attractive
full colour carton

Waiter's service miniature-style

A cool drink, some hot replenishment? No need to wait!
The thermoelectric beverage cooler is ready to serve you when and where required. Cans or small bottles are cooled down to the ideal drinking temperature. Hot drinks and soups are kept nice and hot in the sealable aluminium cup.

Ideal for use where you need something to "keep you going": in the office, in the car, when exercising, or at home.

D03 AC/DC
Can Cooler

Simple operation with LED illuminated keys

Slots for ventilation on the back side of the unit



Supplied in attractive full colour carton

Contents, specifications and availability are subject to change serving the technical improvement.

The ideal temperature for your favourite wines

You don't need to be a wine expert to know that the right temperature is crucial to the full appreciation of a wine. A young white wine, for instance, must be served much cooler than an old Bordeaux to fully unfold its bouquet and aromas.

This beautifully shaped thermoelectric bottle cooler brings out the best of each wine. Designed in unobtrusive silver it is an attractive centrepiece to any festive table setting, and all the more so as it works cordlessly. Fitted with commonly available batteries it provides up to three hours of mains independent cooling.

› Cordless operation for the festive table

D10 AC
Wine Climatiser, silver

Cordless operation possible with eight type AA batteries

Digital monitor displays the preset and current temperature in °C

Supplied in attractive full colour carton

Perfect temperature for six bottles of wine

Always ready to be served

Just like the MOBICOOL wine cooler, the thermoelectric wine chamber works vibration-free, providing a quiet place for the wine to unfold its potential. A must-have for the modern household, the stylish appliance is also ideal for gastronomy use.

D60 AC
Wine Chamber, silver

Removable grid shelves for easy clean-up

Digital monitor displays the preset and current temperature in °C

Easy to use: with keys for all essential functions

Supplied in attractive full colour carton

Contents, specifications and availability are subject to change serving the technical improvement.

The only one with highly efficient circulated air cooling

Perfectly chilled – Cheers!

Beer fresh from the keg. Wine at just the right temperature. When the party drinks are served from the MOBICOOL beer and wine cooler, everything is bound to be just right. The drinks keep flowing – without chemicals, time-consuming cleaning procedures, or pressure technology. Ultra-hygienic right to the last drop!

The D53 is designed for inexpensive 5-litre beer kegs. And also for standard bag-in-box wines (2 – 5 litre packs), which fit neatly into the basket insert supplied with each cooler. It all works on the principle of recirculation cooling: a flow of cool air keeps the beer or wine at the right temperature for the best taste.

D53 AC
Wine/Beer Cooler, black/red

Quiet or whisper-quiet, 3 cooling stages for: red wine, white wine or beer

Maximum food hygiene: one-way taps, no beer-carrying hoses

Aeration from above keeps the cold inside

Supplied in attractive full colour carton

Fresh and easy right out in nature

Fill up your cooler and get going. Look for the nicest spot you can find. Get out, enjoy nature and life. Just for the day – or longer, if you like. Regardless of what your customers plan to do in their free time – MOBICOOL offers the coolers to suit their plans.

Our outdoor range has never been as versatile and comprehensive as it is this season. Apart from well-proven products, many new developments create a fresh breeze at the Point of Sale. Mobile cooling by MOBICOOL will delight your clients. And secure your sales success in the long run!

Active cooling in handbag-size format

A personal cooler for personal use. Small though it seems, the well proven T07 has a cooling capacity of about seven litres – enough for quite a number of cans. Or 0.5-litre bottles, with sufficient space to put them upright.

On the road the T07 is connected to the car's cigarette lighter socket. It cools up to 20°C below the ambient air temperature and will even heat if required. Plus, it comes with a practical shoulder strap – for everyone wishing to take it to work or on a city tour. The compact cooler is available in Metallic Blue or „Waves" pattern, and in any other design of your choice. Just get in touch with us.

T07 DC
Thermoelectric Cooler

T07 DC CUSTOM
Thermoelectric Cooler

Cable compartment integrated in the lid, invisible magnetic lock

Shoulder strap for convenient transport

Descriptive label and protection shrink-wrap for point of sale presentation

Contents, specifications and availability are subject to change serving the technical improvement.

The cooler that fastens on the seat

An on-board bar for everyone! Coloured in an attractive blue, this 8-litre car cooler takes enough food and drinks for the entire crew. It will also keep food warm, including hamburgers and French fries. Easily transportable with the adjustable carrier strap.

A super-safe solution: the T08 is simply fastened to the front passenger seat or rear seat using the vehicle's seat belts. When placed on the rear seat, it creates a comfortable armrest. The lid is easy to open with one hand. Two beverage holders keep refreshing drinks within easy reach.

T08 DC
Thermoelectric Cooler

Safe and secure mounting with the lap-and-diagonal seat belt

Extra function as a comfortable armrest in the rear seat

Supplied with an additional strap for safe positioning between the seats

Fold up+sell

Single packaging in full colour printed carton and also in display with 8 units

Cool enjoyment readily at hand

Picnic, holiday or weekend outing – this compact cooler is always on board. Just because it is so easy to carry and fit into any type of vehicle.

With a capacity of approx. 20 litres, the T20 DC is the perfect size for spontaneous activities. Ample space inside, even for 2-litre bottles standing upright. With its well-proven classical shape in metalllic blue it cuts a good figure everywhere. Provides cooling up to 20°C below the ambient temperature and will also keep food and beverages warm. Lid with convenience closures, fold-away carrying handle, cable compartment.

T20 DC
Thermoelectric Cooler

The cable compartment in the lid keeps essential accessories at hand.

Tall enough to store 2-litre bottles upright

Cosmetics and medicals, too, like it cool.

Descriptive label and protection shrink-wrap for point of sale presentation

Contents, specifications and availability are subject to change serving the technical improvement.

Slim and light at a good price!

Into the car, and out again – it works a treat with this cooler. The U15 is amazingly lightweight and easy to carry. Slender and tall, it slots neatly into the gap between the front passenger seat and the backseat. With a capacity of about 14 litres it has enough room to store 1.5-litre bottles upright.

Its looks are just as convincing – whether dressed in discreet Metallic Blue, trendy "Waves" or any other design of your choice. Connection to 12 volts, cooling performance up to 18°C below ambient, a "super-slim" entry-level price – welcome to the world of active cooling!

U15 DC
Thermoelectric Cooler

U15 DC CUSTOM
Thermoelectric Cooler

Secured in place: the carrier handle keeps the lid open.

The ideal place in the car: behind the passenger seat

Active cooling? Join today!

The insulated box or bag is a thing of yesteryear. The U26 delivers knock-down arguments for leisure freaks to invest in a thermoelectric cooler: 26 litres capacity, room for 2-litre bottles standing upright, cooling performance up to 18°C below the ambient temperature, a compact size and incredible value for money!

The DC version is available in Metallic Blue as well as in trendy "Orange Dots" pattern. The AC/DC model is even more versatile and can also be run from the domestic mains.

U26 AC/DC
Thermoelectric Cooler

U26 DC
Thermoelectric Cooler

U26 DC CUSTOM
Thermoelectric Cooler

Secured in place: the carrier handle keeps the lid open.

Store-ready pallet presentation with 24 units.

Contents, specifications and availability are subject to change serving the technical improvement.



Enjoy and save!

Small budget – big zest for fun. That does go together, thanks to the U30. It is the ideal basic cooler for cost-conscious buyers with ample 28-litre capacity for loads of snacks and even for 2-litre bottles standing upright. High-performance thermoelectric keep everything nice and cool – up to 18°C below the ambient temperature.

For convenient transport the U30 is fitted with a sturdy carrier handle, which also serves to keep the lid open. Available as 12-volt model or 12/230-volt version.

U30 AC/DC
Thermoelectric Cooler

U30 DC
Thermoelectric Cooler

In the lid: storage compartments for connection cables

Secured in place: the carrier handle keeps the lid open.

Store-ready pallet presentation with 24 units.

Cool cost calculation

Maximum cooling capacity at a minimum price – and the thermoelectric U32 has quite a lot more to offer. Cooling capacity up to 18°C below the ambient temperature, purist design, tall and compact shape, versatile use. Holding 32 litres of food and drinks it perfectly manages the catering for family picnics or holiday travels.

Comfort features include a sturdy carrier handle, which also serves to support the lid, and practical recessed grips. The attractive basic cooler is available in two versions: 12 volts or 12/230 volts (220–240 volts).

U32 AC/DC
Thermoelectric Cooler

U32 DC
Thermoelectric Cooler

In the lid: storage compartments for connection cables

Secured in place: the carrier handle keeps the lid open.

Store-ready pallet presentation with 24 units.

Contents, specifications and availability are subject to change serving the technical improvement.

Great looks, cool price

Designed for picnic enthusiasts who like simple solutions. The amazingly low-priced T26 comes with classic colours, clear lines, demanding technology and approx. 26 litres capacity. Sophisticated details: integrated cable compartments and a carrier handle that supports the lid.

Wear-free thermoelectrics, highly effective insulation (MOBICOOL K-Iso system) and an extra fan inside for a quick chill-down and top cooling performance. Those wishing to use the cooler not only in the car but also at home, in a hotel room or holiday home opt for the AC/DC version. The T26 AC/DC can be run either from a 12-volt battery or from a mains supply.

T26 AC/DC
Thermoelectric Cooler

T26 DC
Thermoelectric Cooler

In the lid: storage compartment afor connection cables

Handle folded up: lid is secured open; handle in front position: lid can be opened

Store-ready pallet presentation with 24 units.

The family size for the tight budget

The weather is gorgeous? Fill up your cooler and get out into nature! The T32 holds everything needed for a spontaneous picnic with family or friends. The tall and slim classic-style unit offers about 30 litres capacity.

Available as DC and AC/DC version. Cooling results up to 20°C below ambient thanks to thermoelectrics, thick and even insulation all round (MOBICOOL K-Iso system) and additional fan. Integrated cable compartments and a carrier handle that also serves to support the lid. All this at a truly attractive price that makes active cooling affordable for everybody!

T32 AC/DC
Thermoelectric Cooler

T32 DC
Thermoelectric Cooler

Handle folded back:
lid is safely fixed

In the lid: storage compartments for connection cables

Store-ready pallet presentation with 24 units.

Contents, specifications and availability are subject to change serving the technical improvement.

The cooler with the "bottle flap"

Long weekend outing or short getaway – the T35 stores enough food and will even heat, if preferred. The versatile approx. 35-litre appliance can be used either as a chest cooler or upright fridge.

A feature previously only available in luxury fridges: the T35 has an extra flap for beverage bottles. This "door-in-door" minimises energy loss when the box is opened. The 12-volt model is powered from the car battery and includes the Active Battery Security feature (ABS). The 12/230-volt version provides the additional benefit of plug-n-play mains operation.

T35 AC/DC
Thermoelectric Cooler

T35 DC
Thermoelectric Cooler

Designer detail: a lid to protect the connection socket

"Bottle flap" for easy access to beverage bottles

Supplied in attractive full colour carton

CE E4

The Service Role

35 litres of cooled goodies can weigh hard on you. The W35 is ready for its service role: just pull out the multi-functional handle and the elegant box rolls effortlessly on its two sturdy wheels.

In case you prefer carrying it with both hands use the handles on either side. Energy-saving: the extra bottle flap in the lid of the W35. The large-capacity unit can be used as a chest cooler or upright fridge and will even heat if preferred. Available as 12/230-volt version with Active Battery Security (ABS).

W35 AC/DC
Thermoelectric Cooler

"Bottle flap" for easy access to beverage bottles

Easy transport: handles and wheels for extra convenience

Pull or carry: either is possible with the multi-functional handle

Supplied in attractive full colour carton

Contents, specifications and availability are subject to change serving the technical improvement.

The drinks have arrived!

Well chilled drinks, and no need to lug heavy crates around!
That sort of service is welcome everywhere – at the football ground as well as at group outings. Seeing it is believing: the W48 takes a complete crate of 0.5-litre beer bottles. Or a crate of mineral water with a maximum height of 32 cm. Smooth running wheels and a multi-functional fold-out handle make for convenient transport.

Naturally, it doesn't have to be drink crates – there's room for 48 litres of your favourite goodies. Plus a divider grid to organise the contents. Practical and energy-saving: the lid has two halves that can be opened separately. One section insulates, the other one holds the cooling unit. "Juice" for cooling comes from the 12-volt car battery.

W48 DC
Thermoelectric Cooler

Practical divider grid
organises the contents

Pull or carry: either is possible
with the multi-functional handle

Smooth running skater rollers
for convenient transport

Supplied in
attractive
full colour carton

Functional design in three versions

From now on the P24 is also available for the "Kings of the Road" – the new 12/24-volt model was made especially for this target group. Designed in flaming carminio red, it is a genuine eye-catcher. Its lid is surprisingly functional, providing neat storage for the cooling unit, the fans as well as the connection cables.

A double fan system combined with high-quality insulation give the P24 a cooling power up to 20°C below the ambient temperature. At a capacity of about 24 litres, it is tall enough to store 2-litre bottles upright. Now as before, the P24 is also available in a 12-volt or 12/230-volt version.

P24 AC/DC
Thermoelectric Cooler

P24 DC
Thermoelectric Cooler

P24 DC 12/24 V
Thermoelectric Cooler

Handy detail: spacious cable compartment with swivel lid



Individual shrink wrap protection with card; store-ready pallet presentation with 27 units. Alternatively, in 2-unit-packs.

Contents, specifications and availability are subject to change serving the technical improvement.

Follow me!

Convenient trolleys have done away with the need of carrying suitcases. And inspired the creation of our cooler. The W24 features the details virtually every suitcase is equipped with these days: a pull-out handle and sturdy rollers.

Thus, the thermoelectric cooler can easily be rolled to any picnic place its owners may choose. Or accompany them in their hotel room or holiday home where it can be connected to the mains socket. Because it accepts both mains power and electricity from a 12-volt car battery. For car transport or when using the carrier handle provided as an alternative, the pull-out handle is simply pushed in. Finding space for the 24-litre unit is no problem even in full vehicle boots.

W24 AC/DC
Thermoelectric Cooler

Secured in place: the carrier handle keeps the lid open

Convenient transport with smooth running skater rollers ...

... and a sturdy pull-out handle

shrink +
banderole wrap

Catering at its best …

… in the holiday home or tent, as well as in the car or truck – from now on the W40 is also available as a 12/24-volt version for truckers. The big 40-litre cooler keeps food and drinks within easy reach during the journey – with minimal cooling loss, thanks to its split lid.

The left lid section holds the cooling unit, the fan as well as a handy storage compartment for the cables. The right section can be opened separately.
Its gently curved inner side gives extra storage space height-wise. Two divider grids help organise the contents. Skater rollers and a multi-functional handle make for convenient transport.

W40 AC/DC
Thermoelectric Cooler

W40 DC 12/24 V
Thermoelectric Cooler

Smooth running skater rollers
for convenient transport

Pull or carry: either is possible
with the multi-functional handle

Supplied in
attractive
full colour carton

Contents, specifications and availability are subject to change serving the technical improvement.

Multi-functinal fold-out handle can be used as a tray

Fit for the beach

This large-volume cooler excels for its beach and above all sand compatibility. Equipped with a multi-functional handle and grooved roller, which is more suitable for sand than individual rollers, transportation of the P40 is particularly comfortable.

So don't be shy and fill it right up! More than 40 litres are quite sufficient for a long day at the beach or for a weekend. The split lid makes the contents easy to access without unnecessary cooling loss. Smart design detail: the multi-functional handle swiftly converts into a tray to serve cool refreshments.

P40 DC
Thermoelectric Cooler

Sturdy grooved roller for smooth transport on the beach

To pull, fold out the multi-functional handle; to carry use the recessed grips

Split lid: easy to fold up – minimal cooling loss

Supplied in attractive full colour banderole

M40 AC/DC
incl. Sound System

Smooth running skater rollers for convenient transport

Sound system with integrated MP3 player connection

Pull or carry: either is possible with the multi-functional handle

Supplied in attractive full colour carton

Contents, specifications and availability are subject to change serving the technical improvement.

www.mobicool.com/video



Summer hits from the music box

Welcome to the service team: just like the successful M40, the new M35 serves snacks, beverages and the latest hits on the beach at the same time. A sound system with MP3-player connection integrated in the lid of both coolers makes it all happen. The sound quality is excellent, the technology resistant to humidity and other weather conditions.

A capacity of about 40 or 35 litres is ample for new and existing friends – get ready for the party! Transportation? Perfectly easy, thanks to rollers and the multi-functional handle. Cooling performance up to 18°C below the ambient temperature. The M35 will even heat and comes with ABS Active Battery Security. The M40 has a split lid to avoid unnecessary cooling loss when the box is opened. Both coolers are ready for use in cars (12 volts), awnings or holiday homes (220 – 240 volts).

M35 AC/DC
incl. Sound System

Easy transport: handles and wheels for extra convenience

Pull ...

... or carry: either is possible with the multi-functional handle

Supplied in attractive full colour carton

Tough in the taking

In order to master small and big challenges in life you need a reliable companion. A companion like the Q40 AC/DC. One to take you through thick and thin and look better for it in the end.

The really cool aluminium housing makes it a genuine highlight and "indestructible" at the same time. Fold-away side handles facilitate transport. Moreover, the box excels for its brilliant cooling performance up to 22°C below the ambient temperature and its generous 40-litre capacity. The split lid minimises cooling loss when the box is opened. It also holds a an extra compartment for cables. The Q40 AC/DC has two of them, because it can be run from the 12-volt car battery as well as from the mains.

Q40 AC/DC
Thermoelectric Cooler

Smart detail: spring-loaded handles with plastic coating

Carrying comfort: fold out the side handles and off you go!

Handy detail: spacious cable compartment with swivel lid



Supplied in attractive full colour carton

Contents, specifications and availability are subject to change serving the technical improvement.

TOUGH OUTSIDE
COOL INSIDE

NEW!

Cooling to go

Pack it, pick it up, put it into the car … the new S08 is ready for whatever its owner's plans are. Secured in place with the vehicle seat belt, it is a smart companion on the journey to work, and also on weekend outings, city tours or for sports.

About 8 litres in capacity, this amazingly lightweight cooler is just the right size for personal provisions, 1-litre bottles included. The robust zipper opens to either side and allows for fast access to the contents. An adjustable shoulder strap makes the bag convenient to carry. Its understated design in grey catches admiring eyes.

S08 DC
Thermoelectric Leightweight Cooler

Adjustable
carrier belt

Separate pocket for the
connection cable

Sturdy
shoulder stap

Full colour banderole

Contents, specifications and availability are subject to change serving the technical improvement.

Messenger Bag: young, trendy, uncomplicated

Coolers are poky? No way!
The S10 – also called the "Messenger Bag"– has all it takes to attract new, young target groups.

Its carminio red outfit catches the eye. It consists of trendy awning material, weather-proof and resilient. The silvery insulation inside is easy to clean.
With a capacity of 10 litres and enough room to store 0.5 litre bottles upright, the S10 is ideal for personal snacks and beverages. The bag is closed with a robust zipper.
The cooling unit and the 12-volt connection cable are kept in a separate front pocket.

S10 DC
Thermoelectric Soft Cooler

Adjustable carrier belt
with moveable shoulder pad

Connection cable
with cigarette lighter plug

Additional strap
for carrying by hand

Flat packed in full colour banderole

Contents, specifications and availability are subject to change serving the technical improvement.

NEW!

The new, fresh look

A multi-talent of great practical value. And a design which is bound to attract attention – even in the streets of the world's largest metropolises. Less is more: clear lines, cleverly positioned accents and a pleasant grey that blends harmoniously with any outfit make the S16 an appealing sight.

The 12-volt soft cooler can either be carried as a shoulder bag or converted into a comfortable, back-friendly backpack in just a moment. In the car it is fastened on the passenger or back seat with a seat belt, ready to accommodate the food and beverages for the journey. The content is easily accessible to the travellers – all you need to do is open the zip fastener. Or open it half way, if you only want to take a bottle out. The two small zipper pockets on the front of the S16 are not just handy for storing connection cables, wallets etc., they also add interesting design details.

S16 DC
Thermoelectric Leightweight Cooler

Separate pocket for the connection cable

In the car it is fastened on the passenger or back seat with a seat belt

Back-friendly backpack in just a moment

Full colour banderole

NEW!

A big softie, but tough as a nut

Top seller in an all-new style: the well proven S25 is now dressed in discreet blue and silver. Its inside is the sturdy housing of a box – enclosed in a highly efficient layer of insulation material, a textile coating and a hard-wearing knobbly rubber base.

More S25 features: about 24 litres capacity, vertical space for 2-litre bottles standing upright, adjustable shoulder strap, two side pockets for keys, sunglasses or the purse. Plus two lids supplied with each unit: an active one holding the cooling unit and a lightweight one for the beach. This unique cooler is ready for connection to 12 volts and comes with ABS Active Battery Security.

S25 DC
Thermoelectric Cooler

Bellow pocket for adapter, or for the mobile phone

Attachment system for convenient transportation in the car

Textile appeal, tough inside

With full colour lable

Contents, specifications and availability are subject to change serving the technical improvement.

NEW!

No need to rush home after the grocery shopping!

Its approx. 28-litre volume makes this soft cooler ideal for the daily shopping. It will even take large bottles with ease. For extra convenience, it fastens to the shopping trolley with two Velcro straps on the side for easy filling. Adjustable carrying straps make for convenient transport.

And very fashionable at that: the new look in unobtrusive blue fits every car interior. Female buyers will be crazy about the orange version, which was designed with loving care for detail.

S28 DC
Thermoelectric Soft Cooler

S28 DC ORANGE
Thermoelectric Soft Cooler

Velcro straps, e.g. for fastening inside a shopping trolley

Extra pocket on the back for bits and pieces

Flat packed in full colour banderole

CE e4 TÜV GS

NEW!

The ultra-cool baggie-bag

Well thought out in every detail, and now available in a new and surprising look: the current S32 is dressed in friendly beige, accented by orange details. What has remained are the four closable outer pockets and the two net pockets. Ready to accommodate all those little things that are indispensable for a picnic – from cutlery to sunglasses, from swimming trunks to your favourite magazines.

No need to waste energy: if you just need to get to the water or soft drinks bottles, use the bottle flap rather than undoing the zipper all around the bag. For storage, make your space wonder work for you: the 32-litre soft cooler folds away in a small pack.

S32 DC
Thermoelectric Soft Cooler

S32 DC BEIGE
Thermoelectric Soft Cooler

Quick and easy thirst quencher:
the “bottle flap”

Folded flat for storage:
press studs keep the pack closed

Flat packed in full colour banderole

Contents, specifications and availability are subject to change serving the technical improvement.

Perfect match!
For Everybody

Two cooling systems in one box

A compressor cooler for stationary and mobile use can be hard on your pocket. The new B40 won't. Designed as a typical awning cooler it incorporates a powerful compressor as well as a thermoelectric cooling unit. The latter comes in when the cooler is connected the 12-volt car battery.

This ensures that the cool chain is maintained during transport from home to the campsite. An amazing and low cost technical solution for an important comfort feature. In compressor mode the B40 provides cooling and deep-freezing up to –15°C, even at high ambient temperatures. The thermoelectric system achieves 20°C below the ambient temperature. About 40 litres capacity, sturdy cabinet, recessed grips on the sides – an appliance that is bound to attract a large target group.

B40 AC/DC HYBRID
Thermoelectric/Compressor Cooler

Continuously variable temperature from +12°C to –15°C in compressor mode

Recessed side grips for convenient transport

Speaks for itself: the Hybrid logo as a distinctive design detail

hybrid

Supplied in attractive full colour carton

Contents, specifications and availability are subject to change serving the technical improvement.

230 volts AC
normal/deep-freezing
(compressor)

12 volts DC
normal cooling
(thermoelectrics)

≈ 40 L. cooling with gas, 12 volts or 230 volts

Boundless independence for all outdoor enthusiasts! This low-priced absorption cooler accepts gas as well as alternating current from the power socket or direct current from the 12-volt cigarette lighter.

In the gas as well as in the power mode, the intensity of cooling can be regulated up to a maximum level of 20°C below ambient. Owners of campers, caravans and motorhomes prefer the sturdy three-way absorption cooler in the gentle blue shade.
Extra-large approx. 40-litre capacity, yet truly mobile, the A40 is the ideal size for the holiday household.

A40E AC/DC/GAS
Three way absorbtion cooler

Lid with round rubber sealing and extra magnetic latch

Controller for power operation

Evaporator with recessed compartment for the ice cube tray

Supplied in attractive full colour carton

CE e 4

Contents, specifications and availability are subject to change serving the technical improvement.

Cooler/freezer for home and leisure

Soft blue outside, powerful compressor technology, 40-litre capacity – and an incredibly low price at that!

Featuring a high-performance AC compressor and extra-strong insulation, the C40 is a highly efficient quick chiller. The temperature is continuously variable in a range from +10°C to –15°C. Which means the C40 always guarantees well-chilled party beverages or frozen foods. At any campsite or homesite – the C40 appliance makes a perfect fridge wherever mains power is available.

C40 AC
Compressor Cooler/Freezer

Compressor for powerful cooling up to –15°C



Continuously variable temperature from +10°C to –15°C

An extra hook to store the cable

Supplied in attractive full colour carton

AC/DC ADAPTER

Running a 12-volt cooler from the 230-volt mains is no problem at all with our 230 V AC/12 V DC adapter.

24/12 DC/DC CONVERTER

Operating a 12-volt cooler in a motorhome, boat or truck with 24-volt power supply?
No problem, the 24/12 DC/DC converter provides the necessary voltage. Energy saving design with highly efficient switch-mode technology.



BATTERY MONITOR

The battery monitor makes sure you won't have any battery problems, even if you forgot to disconnect the cooler when you park the car. It switches the cooler off when the voltage drops – and back on again when the voltage returns to normal.

EXTENSION CABLES

The original cable of your thermoelectric cooler is too short to cope with your holiday or weekend plans? MOBICOOL offers two extra-long spares. Each quality-designed cable, 280 or 650 cm long, includes a a 12-volt plug and a cigarette lighter socket.

Contents, specifications and availability are subject to change serving the technical improvement.

Technical data and logistic details

The following pages give you an overview of all catalogue products including detailed technical information. You can learn all about the performance and quality features of MOBICOOL coolers for indoor and outdoor use. Dimensions, weights and essential logistic information are also included in the tables.

Short descriptions of the cooling technologies used by MOBICOOL can be found on page 65. Read how thermoelectric, compressor and absorption cooling work and what features and benefits they have. Page 67 gives you some useful hints on “country-specific plugs”.

Product	Gross capacity	Colour
F05 AC/DC Mini-fridge	approx. 5 litres	Red

Voltage	9 – 12 V DC, 230 V AC (220 – 240 V), external adapter
Cooling unit	4 A peltier cell with 12 V direct feed or external 230 V adapter, cooling max. 20°C below ambient temperature, fixed point thermostat 5°C, heating max. 65°C
Quality features	External 220 – 240 V/ 9 – 12 V adapter for home use and 12 V cigarette lighter cord for car use, cooling and heating function, removable inner shelf, recessed grip for easy transport, non-slip rubber feet
Dimensions (L x W x H)/weight	19.0 x 28.0 x 31.5 cm / 3.3 kg

Ref. No.	Packaging	EAN
9105301233	Printed box	4015 7041 8863 9
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	**Master pack barcode**
4	65.0 x 36.5 x 44.0 cm / 14 kg / 0.10 m³	4015 7041 8907 0

Product	Gross capacity	Colour
F15 AC/DC Mini-fridge	approx. 15 litres	Blue

Voltage	12 V DC, 230 V AC (220 – 240 V), built-in adapter
Cooling unit	4 A peltier cell with 12 V direct feed or built-in 230 V adapter, cooling max. 18°C below ambient temperature, fixed point thermostat 5°C, heating max. 65°C
Quality features	Built-in 220 – 240 V/12 V adapter for home use and 12 V cigarette lighter cord for car use, cooling and heating function, fits two tall soft drink bottles upright, removable inner shelf and door rack, comfortable fold-away carrying handle
Dimensions (L x W x H)/weight	28.5 x 35.5 x 43.5 cm / 5.9 kg

Ref. No.	Packaging	EAN
9105301252	Printed box	4015 7041 8864 6
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	**Master pack barcode**
2	40.0 x 60.0 x 47.0 cm / 14.7 kg / 0.115 m³	4015 7041 8908 7

Product	Gross capacity	Colour
F15 AC/DC Mini-fridge	approx. 15 litres	Transparent

Voltage	12 V DC, 230 V AC (220 – 240 V), built-in adapter
Cooling unit	4 A peltier cell with 12 V direct feed or built-in 230 V adapter, cooling max. 18°C below ambient temperature, fixed point thermostat 5°C, heating max. 65°C
Quality features	Built-in 220 – 240 V/12 V adapter for home use and 12 V cigarette lighter cord for car use, , cooling and heating function, fits two tall soft drink bottles upright, removable inner shelf and door rack, comfortable fold-away carrying handle
Dimensions (L x W x H)/weight	28.5 x 35.5 x 43.5 cm / 5.9 kg

Ref. No.	Packaging	EAN
9105301292	Printed box	4015 7041 8865 3
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	**Master pack barcode**
2	40.0 x 60.0 x 47.0 cm / 14.7 kg / 0.115 m³	4015 7041 8909 4

Important note concerning “dimensions”:
Measurement “**L**” specifies the shelf length required to store the given product.

Thermoelectric Coolers

Product	NEW!	Gross capacity	Colour
F16 AC Thermoelectric fridge		approx. 15 litres	Red

Voltage	230 V AC (220 – 240 V) with built-in adapter
Cooling unit	4 A peltier cell with built-in 230 V adapter, cooling max. 20°C below ambient temperature
Quality features	Fits up to 4 large bottles standing, or two when the removable shelf is in place, magnetic closure and reversible door for left or right opening
Dimensions (L x W x H)/weight	26.5 x 27.0 x 49.5 cm / 5.0 kg

Ref. No.	Packaging	EAN
9105302292	Printed box	4015 7041 8936 0
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	
1	28.0 x 29.0 x 51.0 cm / 6.3 kg / 0.041 m³	

Product	NEW!	Gross capacity	Colour
F16 AC Thermoelectric fridge		approx. 15 litres	Acid green

Voltage	230 V AC (220 – 240 V) with built-in adapter
Cooling unit	4 A peltier cell with built-in 230 V adapter, cooling max. 20°C below ambient temperature
Quality features	Fits up to 4 large bottles standing, or two when the removable shelf is in place, magnetic closure and reversible door for left or right opening
Dimensions (L x W x H)/weight	26.5 x 27.0 x 49.5 cm / 5.0 kg

Ref. No.	Packaging	EAN
9105302293	Printed box	4015 7041 8937 7
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	
1	28.0 x 29.0 x 51.0 cm / 6.3 kg / 0.041 m³	

Product	NEW!	Gross capacity	Colour
F16 AC Thermoelectric fridge		approx. 15 litres	Sky blue

Voltage	230 V AC (220 – 240 V) with built-in adapter
Cooling unit	4 A peltier cell with built-in 230 V adapter, cooling max. 20°C below ambient temperature
Quality features	Fits up to 4 large bottles standing, or two when the removable shelf is in place, magnetic closure and reversible door for left or right opening
Dimensions (L x W x H)/weight	26.5 x 27.0 x 49.5 cm / 5.0 kg

Ref. No.	Packaging	EAN
9105302294	Printed box	4015 7041 8938 4
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	
1	28.0 x 29.0 x 51.0 cm / 6.3 kg / 0.041 m³	

Product	NEW!	Gross capacity	Colour
F16 AC Thermoelectric fridge		approx. 15 litres	Dark blue

Voltage	230 V AC (220 – 240 V) with built-in adapter
Cooling unit	4 A peltier cell with built-in 230 V adapter, cooling max. 20°C below ambient temperature
Quality features	Fits up to 4 large bottles standing, or two when the removable shelf is in place, magnetic closure and reversible door for left or right opening
Dimensions (L x W x H)/weight	26.5 x 27.0 x 49.5 cm / 5.0 kg

Ref. No.	Packaging	EAN
9105302295	Printed box	4015 7041 8939 1
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	**Master pack barcode**
1	28.0 x 29.0 x 51.0 cm / 6.3 kg / 0.041 m³	

Product	NEW!	Gross capacity	Colour
F38 AC Thermoelectric fridge		approx. 39 litres	Red

Voltage	230 V AC (220 – 240 V) with external adapter
Cooling unit	4 A peltier cell with external 230 V adapter, cooling max. 20°C below ambient temperature
Quality features	Silent operation, door with magnetic seal, two trays and two door racks (removable), fits 2-litre bottles standing
Dimensions (L x W x H)/weight	40.2 x 44.0 x 55.5 cm / 15 kg

Ref. No.	Packaging	EAN
9105302296	Printed box	4015 7041 8940 7
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	
1	47.0 x 52.0 x 63.5 cm / 19 kg / 0.155 m³	

Product	NEW!	Gross capacity	Colour
F38 AC Thermoelectric fridge		approx. 39 litres	Silver

Voltage	230 V AC (220 – 240 V) with external adapter
Cooling unit	4 A peltier cell with external 230 V adapter, cooling max. 20°C below ambient temperature
Quality features	Silent operation, door with magnetic seal, two trays and two door racks (removable), fits 2-litre bottles standing
Dimensions (L x W x H)/weight	40.2 x 44.0 x 55.5 cm / 15 kg

Ref. No.	Packaging	EAN
9105302297	Printed box	4015 7041 8941 4
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	
1	47.0 x 52.0 x 63.5 cm / 19 kg / 0.155 m³	

Can Cooler

Product	Colour
D03 AC/DC Can Cooler	Grey/silver

Voltage	12 V DC, 230 V AC (100 – 240 V), external adapter
Cooling unit	4 A peltier cell with 12 V direct feed or external 230 V adapter, cooling max. 22°C below ambient temperature, heating up to max 60°C drink temperatur
Quality features	100 – 240 V AC wall mount adapter, 12 V cigarette lighter cord for car use, cooling and heating function, aluminium container for rapid chilling, metal mug with plastic handle
Dimensions (L x W x H)/weight	14.5 x 11.0 x 13.0 cm / 0.6 kg

Ref. No.	Packaging	EAN
9105301138	Printed box	4015 7041 8866 0
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	**Master pack barcode**
12	53.0 x 38.0 x 35.0 cm / 13.0 kg / 0.07 m³	4015 7041 8910 0

Wine Climatiser

Product	Colour
D10 AC Wine Climatiser	Silver

Voltage	230 V AC (100 – 240 V), external adapter or 8 type AA batteries (not included)
Cooling unit	4 A peltier cell with external 230 V feed
Quality features	Vibration-free, fits most sizes of wine bottles (max. ø 90 mm), ready for use with batteries for cordless tabletop operation, temperature range +5°C to +20°C, digital readout of the preset and current temperature in °C
Dimensions (L x W x H)/weight	19.0 x 14.0 x 22.0 cm / 1.4 kg

Ref. No.	Packaging	EAN
9105301160	Printed box	4015 7041 8867 7
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	**Master pack barcode**
4	31.6 x 41.8 x 24.4 cm / 5.8 kg / 0.032 m³	4015 7041 8911 7

Wine Chamber

Product	Gross capacity	Colour
D60 AC Wine Chamber	approx. 20 litres	Silver/grey

Voltage	230 V AC (100 – 240 V), external adapter
Cooling unit	4 A peltier cell with external 230 V adapter, cooling max. 18°C below ambient temperature
Quality features	Vibration-free wine cabinet for 6 bottles, 3 removable grid shelves specifically designed for wine bottles, temperature range +5°C to +20°C (up to 18°C below ambient temperature), digital readout of the preset and storage temperature in °C, chrome-plated keys for all essential functions, interior light, transparent magnetic-lock door
Dimensions (L x W x H)/weight	47.0 x 26.0 x 41.5 cm / 7.6 kg

Ref. No.	Packaging	EAN
9105301204	Printed box	4015 7041 8868 4
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	
1	53.8 x 33.0 x 47.6 cm / 9.9 kg / 0.085 m³	

Wine Cooler

Product	Gross capacity	Colour
D53 AC Wine/Beer Cooler	approx. 5 litres	Black/red

Voltage	230 V AC (100 – 240 V), external adapter
Cooling unit	4 A peltier cell with external 230 V adapter, cooling max. 25°C below ambient temperature
Quality features	Suitable for all 2 – 5-litre bag-in-box wine packs as well as for standard 5-litre non-return beer kegs with integrated tap, switched on via inductive switch, efficient and even circulated air cooling, keg aeration without impaired cooling, ambient temperature +10°C to +30°C, 3 cooling ranges: red wine +14°C to +18°C, white wine +10°C to +14°C, beer +3°C to +7°C (up to 25°C below ambient temperature), 2 operation modes: normal and whisper-quiet, very hygienic: no liquid-carrying hoses, no time-consuming cleaning or chemicals, drip tray and basket insert supplied as standard
Dimensions (L x W x H)/weight	27.6 x 35.3 x 44.9 cm (incl. drip tray) / 4.0 kg

Ref. No.	Packaging	EAN
9105301184	Printed box	4015 7041 8869 1
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	
1	29.5 x 28.0 x 51.5 cm / 4.6 kg / 0.043 m³	

Thermoelectric Coolers

Product	Gross capacity	Colour
T07 DC Thermoelectric Cooler	approx. 7 litres	Metallic blue

Voltage	12 V DC
Insulation	High quality foam core
Cooling unit	4 A peltier cell with 12 V feed, cooling max. 20°C below ambient temperature, heating max. 65°C
Quality features	Fits 0.5-litre bottles upright or 0.33-litre cans, cooling and heating function, easy one-hand operated lid with magnetic latch, cable compartment in lid, single fan system with metal inner case, suitable for transport of cosmetics and pharmaceuticals
Dimensions (L x W x H)/weight	32.0 x 18.0 x 30.0 cm / 2.4 kg

Ref. No.	Packaging	EAN
9105301810	shrink + card	4015 7041 8853 0
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	**Master pack barcode**
4	75.0 x 33.0 x 33.0 cm / 12.0 kg / 0.08 m³	4015 7041 8912 4

Product	NEW!	Gross capacity	Colour
T07 DC Thermoelectric Cooler CUSTOM		approx. 7 litres	Waves

Voltage	12 V DC
Insulation	High quality foam core
Cooling unit	4 A peltier cell with 12 V feed, cooling max. 20°C below ambient temperature, heating max. 65°C
Quality features	Fits 0.5-litre bottles upright or 0.33-litre cans, cooling and heating function, easy one-hand operated lid with magnetic latch, cable compartment in lid, single fan system with metal inner case, suitable for transport of cosmetics and pharmaceuticals
Dimensions (L x W x H)/weight	32.0 x 18.0 x 30.0 cm / 2.4 kg

Ref. No.	Packaging	EAN
9105302306	shrink + card	4015 7041 89568
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	**Master pack barcode**
4	75.0 x 33.0 x 33.0 cm / 12.0 kg / 0.08 m³	4015 7041 89575

Product	Gross capacity	Colour
T08 DC Thermoelectric Cooler	approx. 8 litres	Metallic blue

Voltage	12 V DC
Insulation	High quality full foam insulation of polyurethane
Cooling unit	4 A peltier cell with 12 V feed, cooling max. 20°C below ambient temperature, heating max. 65°C
Quality features	Specially designed for car use, easy and secure fixing with car seat belt or own shoulder strap, cooling and heating function, fits 0.7-litre bottles lying, cable compartment in lid, single fan system with metal inner case
Dimensions (L x W x H)/weight	44.0 x 20.0 x 30.0 cm / 3.1 kg

Ref. No.	Packaging	EAN
9105301856	printed box	4015 7041 8854 7
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	**Master pack barcode**
3	68.5 x 47.8 x 33.8 cm / 13.0 kg / 0.11 m³	4015 7041 8913 1

Ref. No.	Packaging	EAN
9105301862	printed box	4015 7041 8854 7
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	**Master pack barcode**
8 pieces in display	47.5 x 48.5 x 128.5 cm / 34.5 kg / 0.296 m³	4015 7041 8914 8

Product	Gross capacity	Colour
T20 DC Thermoelectric Cooler	approx. 20 litres	Metallic blue

Voltage	12 V DC
Insulation	High quality full foam insulation of polyurethane
Cooling unit	4 A peltier cell with 12 V feed, cooling max. 20°C below ambient temperature, heating max. 65°C
Quality features	Cooling and heating function, cable compartment in lid, fits 2-litre bottles standing, single fan system with metal inner case
Dimensions (L x W x H)/weight	40.5 x 29.0 x 43.0 cm / 4.3 kg

Ref. No.	Packaging	EAN
9105301895	shrink + card	4015 7041 8855 4
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	**Master pack barcode**
2	41.5 x 61.0 x 46.0 cm / 10.1 kg / 0.116 m³	4015 7041 8915 5

Thermoelectric Coolers

Product	Gross capacity	Colour
U15 DC Thermoelectric Cooler	approx. 14 litres	Metallic blue

Voltage	12 V DC
Insulation	High quality foam core
Cooling unit	4 A peltier cell with 12 V feed, cooling max. 18°C below ambient temperature
Quality features	Specially designed for car use, fits perfectly behind the front passenger seat, carrier handle serves to either fix or support the lid, cable compartment in lid, fits one 1.5-litre bottle standing, two-way ventilation system for fast cold distribution
Dimensions (L x W x H)/weight	34.5 x 22.5 x 42.5 cm / 3.5 kg

Ref. No.	Packaging	EAN
9105302143	shrink + card	4015 7041 8856 1
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	**Master pack barcode**
5	70.0 x 58.0 x 44.0 cm / 18.5 kg / 0.179 m³	4015 7041 8916 2

Product NEW!	Gross capacity	Colour
U15 DC Thermoelectric Cooler CUSTOM	approx. 14 litres	Waves

Voltage	12 V DC
Insulation	High quality foam core
Cooling unit	4 A peltier cell with 12 V feed, cooling max. 18°C below ambient temperature
Quality features	See U15 DC
Dimensions (L x W x H)/weight	34.5 x 22.5 x 42.5 cm / 3.5 kg

Ref. No.	Packaging	EAN
9105302307	shrink + card	4015 7041 8958 2
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	**Master pack barcode**
5	70.0 x 58.0 x 44.0 cm / 18.5 kg / 0.179 m³	4015 7041 8959 9

Product	Gross capacity	Colour
U26 DC Thermoelectric Cooler	approx. 26 litres	Metallic blue

Voltage	12 V DC
Insulation	High quality foam core (K-Iso system)
Cooling unit	4 A peltier cell with 12 V feed, cooling max. 18°C below ambient temperature
Quality features	Carrier handle serves to either fix or support the lid, cable compartment in lid, fits 2-litre bottles standing, double fan system
Dimensions (L x W x H)/weight	39.6 x 29.6 x 39.5 cm / 3.7 kg

Ref. No.	Packaging	EAN
9103500038	shrink + card	4015 7041 8839 4
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	**Master pack barcode**
24 pieces on pallet	80.0 x 120.0 x 135.0 cm / 121.2 kg / 1.296 m³	4015 7041 8917 9

Product NEW!	Gross capacity	Colour
U26 DC Thermoelectric Cooler CUSTOM	approx. 26 litres	Orange polka dots

Voltage	12 V DC
Insulation	High quality foam core (K-Iso system)
Cooling unit	4 A peltier cell with 12 V feed, cooling max. 18°C below ambient temperature
Quality features	See U26 DC
Dimensions (L x W x H)/weight	39.6 x 29.6 x 39.5 cm / 3.7 kg

Ref. No.	Packaging	EAN
9103500092	shrink + card	4015 7041 8942 1
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	**Master pack barcode**
4	60.0 x 80.0 x 42.0 cm / 16.2 kg / 0.201 m³	4015 7041 8943 8

Product	Gross capacity	Colour
U26 AC/ DC Thermoelectric Cooler	approx. 26 litres	Metallic blue

Voltage	12 V DC, 230 V AC (220 – 240 V) / 50/60 Hz built-in adapter
Insulation	High quality full foam insulation of polyurethane (K-Iso system)
Cooling unit	4 A peltier cell with 12 V direct feed or built-in 230 V adapter, cooling max. 18°C below ambient temperature in DC operation, max. 18°C below ambient temperature in AC operation
Quality features	Car and indoor use with dual voltage system, carrier handle serves to either fix or support the lid, cable compartment in lid, fits 2-litre bottles standing, double fan system
Dimensions (L x W x H)/weight	39.6 x 29.6 x 44.5 cm / 4.3 kg

Ref. No.	Packaging	EAN
9103500039	shrink + card	4015 7041 8840 0
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	**Master pack barcode**
24 pieces on pallet	80.0 x 120.0 x 135.0 cm / 128.4 kg / 1.296 m³	4015 7041 8920 9

Thermoelectric Coolers

Product	NEW!	Gross capacity	Colour
U30 DC Thermoelectric Cooler		approx. 28 litres	Metallic blue

Voltage	12 V DC
Insulation	High quality foam core (K-Iso system)
Cooling unit	4 A peltier cell with 12 V feed, cooling max. 18°C below ambient temperature
Quality features	Carrier handle serves to either fix or support the lid, cable compartment in lid, fits 2-litre bottles standing, double fan system
Dimensions (L x W x H)/weight	39.6 x 29.6 x 44.5 cm / 4.3 kg

Ref. No.	Packaging	EAN
9103500093	shrink + card	4015 7041 8944 5
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	**Master pack barcode**
24 pieces on pallet	80.0 x 120.0 x 150.0 cm / 130.8 kg / 1.44 m³	4015 7041 8945 2

Product	NEW!	Gross capacity	Colour
U30 AC/DC Thermoelectric Cooler		approx. 28 litres	Metallic blue

Voltage	12 V DC, 230 V AC (220 – 240 V) / 50/60 Hz built-in adapter
Insulation	High quality foam core (K-Iso system)
Cooling unit	4 A peltier cell with 12 V direct feed or built-in 230 V adapter, cooling max. 18°C below ambient temperature
Quality features	Car and indoor use with dual voltage system, carrier handle serves to either fix or support the lid, cable compartment in lid, fits 2-litre bottles standing, double fan system
Dimensions (L x W x H)/weight	39.6 x 29.6 x 44.5 cm / 4.3 kg

Ref. No.	Packaging	EAN
9103500039	shrink + card	4015 7041 8840 0
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	**Master pack barcode**
24 pieces on pallet	80.0 x 120.0 x 150.0 cm / 130.8 kg / 1.44 m³	4015 7041 8919 3

Product	Gross capacity	Colour
U32 DC Thermoelectric Cooler	approx. 30 litres	Metallic blue

Voltage	12 V DC
Insulation	High quality foam core (K-Iso system)
Cooling unit	4 A peltier cell with 12 V feed, cooling max. 18°C below ambient temperature
Quality features	Carrier handle serves to either fix or support the lid, cable compartment in lid, fits 2-litre bottles standing, double fan system
Dimensions (L x W x H)/weight	39.6 x 29.6 x 44.5 cm / 4.0 kg

Ref. No.	Packaging	EAN
9103500040	shrink + card	4015 7041 8841 7
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	**Master pack barcode**
24 pieces on pallet	80.0 x 120.0 x 150.0 cm / 130.8 kg / 1.44 m³	4015 7041 8918 6

Product	Gross capacity	Colour
U32 AC/DC Thermoelectric Cooler	approx. 30 litres	Metallic blue

Voltage	12 V DC, 230 V AC (220 – 240 V) / 50/60 Hz built-in adapter
Insulation	High quality full foam insulation of polyurethane (K-Iso system)
Cooling unit	4 A peltier cell with 12 V direct feed or built-in 230 V adapter, cooling max. 18°C below ambient temperature
Quality features	Car and indoor use with dual voltage system, carrier handle serves to either fix or support the lid, cable compartment in lid, fits 2-litre bottles standing, double fan system
Dimensions (L x W x H)/weight	39.6 x 29.6 x 44.5 cm / 4.0 kg

Ref. No.	Packaging	EAN
9103500094	shrink + card	4015 7041 8946 9
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	**Master pack barcode**
24 pieces on pallet	80.0 x 120.0 x 150.0 cm / 130.8 kg / 1.44 m³	4015 7041 8947 6

Thermoelectric Coolers

Product	Gross capacity	Colour
T26 DC Thermoelectric Cooler	approx. 26 litres	Metallic blue

Voltage	12 V DC
Insulation	High quality full foam insulation of polyurethane (K-Iso system)
Cooling unit	4 A peltier cell with 12 V feed, cooling max. 20°C below ambient temperature
Quality features	Carrier handle serves to either fix or support the lid, cable compartment in lid, fits 2-litre bottles standing, double fan system
Dimensions (L x W x H)/weight	39.6 x 29.6 x 39.5 cm / 3.7 kg

Ref. No.	Packaging	EAN
9103500042	shrink + card	4015 7041 8843 1
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	**Master pack barcode**
24 pieces on pallet	80.0 x 120.0 x 135.0 cm / 121.2 kg / 1.296 m³	4015 7041 8921 6

Product	Gross capacity	Colour
T26 AC/DC Thermoelectric Cooler	approx. 26 litres	Metallic blue

Voltage	12 V DC, 230 V AC (220 – 240 V) / 50 Hz built-in adapter
Insulation	High quality full foam insulation of polyurethane (K-Iso system)
Cooling unit	4 A peltier cell with 12 V direct feed or built-in 230 V adapter, cooling max. 20°C below ambient temperature in DC operation, max. 18°C below ambient temperature in AC operation
Quality features	Car and indoor use with dual voltage system, carrier handle serves to either fix or support the lid, cable compartment in lid, fits 2-litre bottles standing, double fan system
Dimensions (L x W x H)/weight	39.6 x 29.6 x 39.5 cm / 4.0 kg

Ref. No.	Packaging	EAN
9103500043	shrink + card	4015 7041 8844 8
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	**Master pack barcode**
24 pieces on pallet	80.0 x 120.0 x 135.0 cm / 128.4 kg / 1.296 m³	4015 7041 8922 3

Product	Gross capacity	Colour
T32 DC Thermoelectric Cooler	approx. 30 litres	Metallic blue

Voltage	12 V DC
Insulation	High quality full foam insulation of polyurethane (K-Iso system)
Cooling unit	4 A peltier cell with 12 V feed, cooling max. 18°C below ambient temperature
Quality features	Carrier handle serves to either fix or support the lid, cable compartment in lid, fits 2-litre bottles standing, double fan system
Dimensions (L x W x H)/weight	39.6 x 29.6 x 44.5 cm / 4.0 kg

Ref. No.	Packaging	EAN
9103500044	shrink + card	4015 7041 8845 5
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	**Master pack barcode**
24 pieces on pallet	80.0 x 120.0 x 150.0 cm / 130.8 kg / 1.44 m³	4015 7041 8923 0

Product	Gross capacity	Colour
T32 AC/DC Thermoelectric Cooler	approx. 30 litres	Metallic blue

Voltage	12 V DC, 230 V AC (220 – 240 V) / 50 Hz built-in adapter
Insulation	High quality full foam insulation of polyurethane (K-Iso system)
Cooling unit	4 A peltier cell with 12 V direct feed or built-in 230 V adapter, cooling max. 18°C below ambient temperature
Quality features	Car and indoor use with dual voltage system, carrier handle serves to either fix or support the lid, cable compartment in lid, fits 2-litre bottles standing, double fan system
Dimensions (L x W x H)/weight	39.6 x 29.6 x 44.5 cm / 4.3 kg

Ref. No.	Packaging	EAN
9103500045	shrink + card	4015 7041 8846 2
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	**Master pack barcode**
24 pieces on pallet	80.0 x 120.0 x 150.0 cm / 138.0 kg / 1.44 m³	4015 7041 8924 7

Thermoelectric Coolers

Product	Gross capacity	Colour
T35 DC Thermoelectric Cooler	approx. 35 litres	Metallic blue

Voltage	12 V DC
Insulation	High quality full foam insulation of polyurethane
Cooling unit	4 A peltier cell with 12 V feed, cooling max. 20°C below ambient temperature, heating max. 65°C
Quality features	Easy access door-in-door bottle compartment, works both upright and lying, integrated ABS active battery security, cooling and heating function, fits 2-litre bottles standing, removable divider grid, fold-away side handles for easy carrying
Dimensions (L x W x H)/weight	54.0 x 35.0 x 44.5 cm / 7.8 kg

Ref. No.	Packaging	EAN
9105301922	printed box	4015 7041 8857 8
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	
1	55.6 x 36.6 x 47.8 cm / 10.0 kg / 0.097 m³	

Product	Gross capacity	Colour
T35 AC/DC Thermoelectric Cooler	approx. 35 litres	Metallic blue

Voltage	12 V DC, 230 V AC (220 – 240 V) / 50 Hz built-in adapter
Insulation	High quality full foam insulation of polyurethane
Cooling unit	4 A peltier cell with 12 V direct feed or built-in 230 V adapter, cooling max. 20°C below ambient temperature in DC operation, max. 18°C below ambient temperature in AC operation, heating max. 65°C
Quality features	Car and indoor use with dual voltage system, auto-switch, integrated ABS active battery security, easy access door-in-door bottle compartment, works both upright and lying, cooling and heating function, fits 2-litre bottles standing, removable divider grid, fold-away side handles for easy carrying
Dimensions (L x W x H)/weight	54.0 x 35.0 x 44.5 cm / 8.1 kg

Ref. No.	Packaging	EAN
9105301949	printed box	4015 7041 8858 5
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	
1	55.6 x 36.6 x 47.8 cm / 10.5 kg / 0.097 m³	

Product	Gross capacity	Colour
W35 AC/DC Thermoelectric Cooler	approx. 35 litres	Metallic blue

Voltage	12 V DC, 230 V AC (220 – 240 V) / 50 Hz built-in adapter
Insulation	High quality full foam insulation of polyurethane
Cooling unit	4 A peltier cell with 12 V direct feed or built-in 230 V adapter, cooling max. 20°C below ambient temperature in DC operation, max. 18°C below ambient temperature in AC operation, heating max. 65°C)
Quality features	Car and indoor use with dual voltage system, auto-switch, integrated ABS active battery security, two sturdy wheels and multi-functional pull-out handle for convenient transport, easy access door-in-door bottle compartment, works both upright and lying, cooling and heating function, fits 2-litre bottles standing, removable divider grid, fold-away side handles for easy carrying
Dimensions (L x W x H)/weight	56.0 x 37.3 x 45.8 cm / 8.8 kg

Ref. No.	Packaging	EAN
9105302178	printed box	4015 7041 8859 2
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	
1	58.5 x 39.5 x 50.5 cm / 11.5 kg / 0.117 m³	

Product	Gross capacity	Colour
W48 DC Thermoelectric Cooler	approx. 48 litres	Metallic blue

Voltage	12 V DC
Insulation	High quality full foam insulation of polyurethane
Cooling unit	4 A peltier cell with 12 V feed, cooling max. 18°C below ambient temperature
Quality features	Car and indoor use with dual voltage system, two sturdy wheels and multi-functional pull-out handle for convenient transport, fold-away side handles, split lid minimize cold loss, cable compartment in lid, fits 2-litre bottles standing, stores a complete drink crate (crate dimensions 42.0 x 32.0 x 35.4 cm), removable divider grid
Dimensions (L x W x H)/weight	53.2 x 40.0 x 45.2 cm / 7.6 kg

Ref. No.	Packaging	EAN
9105302215	printed box	4015 7041 8860 8
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	
1	55.0 x 41.0 x 48.0 cm / 10.4 kg / 0.108 m³	

W48 special custom version: A double thermoelectric cover is available on request as separate item or pre-assembled on the cooler.

Thermoelectric Coolers

Product	Gross capacity	Colour
P24 DC Thermoelectric Cooler	approx. 24 litres	Carminio

Voltage	12 V DC
Insulation	High quality full foam insulation of polyurethane
Cooling unit	4 A peltier cell with 12 V feed, cooling max. 20°C below ambient temperature
Quality features	Carrier handle serves to either fix or support the lid, cable compartment in lid, fits 2-litre bottles standing, double fan system
Dimensions (L x W x H)/weight	39.0 x 28.0 x 42.0 cm / 3.9 kg

Ref. No.	Packaging	EAN
9103500046	shrink + card	4015 7041 8847 9
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	**Master pack barcode**
2	62.0 x 47.5 x 43.0 cm / 8.8 kg / 0.13 m³	4015 7041 8925 4

Ref. No.	Packaging	EAN
9103500090	shrink + card	4015 7041 8847 9
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	**Master pack barcode**
27 pieces on pallet	80.0 x 120.0 x 142.0 cm / 118 kg / 1.51 m³	4015 7041 8926 1

Product	Gross capacity	Colour
P24 AC/DC Thermoelectric Cooler	approx. 24 litres	Carminio

Voltage	12 V DC, 230 V AC (220 – 240 V) / 50 Hz built-in adapter
Insulation	High quality full foam insulation of polyurethane
Cooling unit	4 A peltier cell with 12 V direct feed or built-in 230 V adapter, cooling max. 20°C below ambient temperature in DC operation, max. 18°C below ambient temperature in AC operation
Quality features	Car and indoor use with dual voltage system, carrier handle serves to either fix or support the lid, cable compartment in lid, fits 2-litre bottles standing, double fan system
Dimensions (L x W x H)/weight	39.0 x 28.0 x 42.0 cm / 4.1 kg

Ref. No.	Packaging	EAN
9103500047	shrink + card	4015 7041 8848 6
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	**Master pack barcode**
2	62.0 x 47.5 x 43.0 cm / 9.2 kg / 0.13 m³	4015 7041 8927 8

Ref. No.	Packaging	EAN
9103500091	shrink + card	4015 7041 8848 6
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	**Master pack barcode**
27 pieces on pallet	80.0 x 120.0 x 142.0 cm / 123 kg / 1.51 m³	4015 7041 8928 5

Product	Gross capacity	Colour
P24 DC 12/24 V Thermoelectric Cooler	approx. 24 litres	Carminio

Voltage	12/24 V DC
Insulation	High quality full foam insulation of polyurethane
Cooling unit	4 A peltier cell with 12 V feed, cooling max. 20°C below ambient temperature
Quality features	Car and truck use, carrier handle serves to either fix or support the lid, cable compartment in lid, fits 2-litre bottles standing, double fan system
Dimensions (L x W x H)/weight	39.0 x 28.0 x 42.0 cm / 4.0 kg

Ref. No.	Packaging	EAN
9103500048	shrink + card	4015 7041 8849 3
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	**Master pack barcode**
2	62.0 x 47.5 x 43.0 cm / 9.0 kg / 0.13 m³	4015 7041 8929 2

Product	Gross capacity	Colour
W24 AC/DC Thermoelectric Cooler	approx. 24 litres	Metallic blue

Voltage	12 V DC, 230 V AC (220 – 240 V) / 50 Hz built-in adapter
Insulation	High quality full foam insulation of polyurethane
Cooling unit	4 A peltier cell with 12 V direct feed or built-in 230 V adapter, cooling max. 20°C below ambient temperature in DC operation, max. 18°C below ambient temperature in AC operation, heating up to 65°C
Quality features	Car and indoor use with dual voltage system, carrier handle serves to either fix or support the lid, cable compartment in lid, fits 2-litre bottles standing, double fan system, pull-out handle and sturdy wheels, cooling and heating function
Dimensions (L x W x H)/weight	39.0 x 31.0 x 42.0 cm / 5.5 kg

Ref. No.	Packaging	EAN
9105302290	shrink + banderole wrap	4015 7041 8861 5
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	
1	40.0 x 32.0 x 43.0 cm / 6.1 kg / 0.055 m³	

Thermoelectric Coolers

Product	Gross capacity	Colour
W40 AC/DC Thermoelectric Cooler	approx. 40 litres	Carminio

Voltage	12 V DC, 230 V AC (220 – 240 V) / 50 Hz built-in adapter
Insulation	High quality full foam insulation of polyurethane
Cooling unit	4 A peltier cell with 12 V direct feed or built-in 230 V adapter, cooling max. 18°C below ambient temperature
Quality features	Car and indoor use with dual voltage system, two sturdy wheels and multi-functional pull-out handle for convenient transport, fold-away side handles, split lid minimize cold loss, cable compartment in lid, fits 2-litre bottles standing, 2 removable divider grids, double fan system
Dimensions (L x W x H)/weight	56.0 x 38.0 x 42.0 cm / 8.4 kg

Ref. No.	Packaging	EAN
9105302194	printed box	4015 7041 8870 7
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	
1	59.5 x 40.0 x 45.0 cm / 10.8 kg / 0.107 m³	

Product	Gross capacity	Colour
W40 AC/DC 12/24/230 V Thermoelectric Cooler	approx. 40 litres	Carminio

Voltage	12/24 V DC, 230 V AC (220 – 240 V) / 50 Hz built-in adapter
Insulation	High quality full foam insulation of polyurethane
Cooling unit	4 A peltier cell with 12 V direct feed or built-in 230 V adapter, cooling max. 18°C below ambient temperature
Quality features	Truck, car and indoor use with dual voltage system, two sturdy wheels and multi-functional pull-out handle for convenient transport, fold-away side handles, split lid minimize cold loss, cable compartment in lid, fits 2-litre bottles standing, 2 removable divider grids, double fan system
Dimensions (L x W x H)/weight	56.0 x 38.0 x 42.0 cm / 8.4 kg

Ref. No.	Packaging	EAN
9105302197	printed box	4015 7041 8871 4
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	
1	59.5 x 40.0 x 45.0 cm / 10.8 kg / 0.107 m³	

Product	Gross capacity	Colour
P40 DC Thermoelectric Cooler	approx. 40 litres	Carminio

Voltage	12 V DC
Insulation	High quality full foam insulation of polyurethane
Cooling unit	4 A peltier cell with 12 V feed, cooling max. 18°C below ambient temperature
Quality features	Grooved roller and multi-functional fold-out handle for convenient transport, multi-functional handle can be locked in place for use as a tray, fold-away side handles, split lid minimises cold loss, cable compartment in lid, fits 2-litre bottles standing, 2 removable divider grids, double fan system for fast cold distribution
Dimensions (L x W x H)/weight	57.0 x 38.0 x 42.0 cm / 8.4 kg

Ref. No.	Packaging	EAN
9103500095	banderole wrap	4015 7041 8948 3
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	
1	59.5 x 40.0 x 45.0 cm / 10.8 kg / 0.107 m³	

Thermoelectric Coolers

Product	Gross capacity	Colour
M40 AC/DC Thermoelectric Cooler incl. sound system	approx. 40 litres	Carminio

Voltage	12 V DC, 230 V AC (220 – 240 V) / 50 Hz built-in adapter
Insulation	High quality full foam insulation of polyurethane
Cooling unit	4 A peltier cell with 12 V direct feed or built-in 230 V adapter, cooling max. 18°C below ambient temperature
Quality features	Car and indoor use with dual voltage system, two sturdy wheels and multi-functional pull-out handle for convenient transport, fold-away side handles, split lid minimize cold loss, cable compartment in lid, fits 2-litre bottles standing, 2 removable divider grids, double fan system, built-in patented speaker system, plug-n-play with MP3 player
Dimensions (L x W x H)/weight	56.0 x 38.0 x 42.0 cm / 8.8 kg

Ref. No.	Packaging	EAN
9105301483	printed box	4015 7041 8872 1
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	
1	59.5 x 40.0 x 45.0 cm / 11.0 kg / 0.107 m³	

Product	NEW!	Gross capacity	Colour
M35 AC/DC Thermoelectric Cooler incl. sound system		approx. 35 litres	Carminio

Voltage	12 V DC, 230 V AC (220 – 240 V) / 50 Hz built-in adapter
Insulation	High quality full foam insulation of polyurethane
Cooling unit	4 A peltier cell with 12 V direct feed or built-in 230 V adapter, cooling max. 20°C below ambient temperature in DC operation, max. 18°C below ambient temperature in AC operation, heating up to 65°C
Quality features	Car and indoor use with dual voltage system, auto-switch, integrated ABS active battery security, two sturdy wheels and multi-functional pull-out handle for convenient transport, works both upright and lying, cooling and heating function, fits 2-litre bottles standing, removable divider grid, fold-away side handles for easy carrying, built-in patented speaker system, plug-n-play with MP3 player
Dimensions (L x W x H)/weight	55.6 x 36.6 x 47.8 cm / 10.0 kg / 0.097 m³

Ref. No.	Packaging	EAN
9105302291	printed box	4015 7041 8930 8
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	
1	58.5 x 39.5 x 50.5 cm / 11.5 kg / 0.117 m³	

Product	Gross capacity	Colour
Q40 AC/DC Thermoelectric Cooler	approx. 40 litres	Aluminium

Voltage	12 V DC, 230 V AC (220 – 240 V) / 50 Hz built-in adapter
Insulation	High quality full foam insulation of polyurethane
Cooling unit	4 A peltier cell with 12 V direct feed or built-in 230 V adapter, cooling max. 22°C below ambient temperature in DC operation, max. 20°C below ambient temperature in AC operation
Quality features	Car and indoor use with dual voltage system, sturdy, unbreakable aluminium housing, fold-away side handles, split lid minimize cold loss, cable compartment in lid, fits 2-litre bottles standing, 2 removable divider grids, double fan system
Dimensions (L x W x H)/weight	58.0 x 39.0 x 44.0 cm / 9.6 kg

Ref. No.	Packaging	EAN
9105301620	printed box	4015 7041 8873 8
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	
1	60.0 x 41.0 x 48.0 cm / 12.2 kg / 0.118 m³	

Thermoelectric Softbags

Product	NEW!	Gross capacity	Colour
S08 DC Thermoelectric Lightweight Cooler		approx. 8 litres	Grey

Voltage	12 V DC
Insulation	Lightweight EVA foam
Cooling unit	4 A peltier cell with 12 V feed, cooling max. 12°C below ambient temperature
Quality features	Lightweight EVA foam with nylon outer coating and inner PE bladder, fits 1-litre bottles, comfortable access and esy fastening to car safety belt on passenger or back seat, converts into a backpack for easy carrying, outer shell EVA pre shaped form allows comfortable fit
Dimensions (L x W x H)/weight	24.0 x 30.0 x 18.0 cm / 1.6 kg

Ref. No.	Packaging	EAN
9105302301	banderole wrap	4015 7041 8951 3
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	**Master pack barcode**
2	30.0 x 40.0 x 25.0 cm / 3.5 kg / 0.03 m³	4015 7041 89629

Product	Gross capacity	Colour
S10 DC Thermoelectric Soft Cooler	approx. 10 litres	Carminio

Voltage	12 V DC
Insulation	Light-weight full insulation
Cooling unit	4 A peltier cell with 12 V feed, cooling max. 15°C below ambient temperature
Quality features	Folds to a mere 39,0 x 10,0 x 32,0 cm thanks to the skin made of resilient awning material, adjustable shoulder strap with moveable shoulder pad, additional carrier strap, robust zipper, separate front pocket for the cooling unit and connection cable, double fan system for fast cold distribution
Dimensions (L x W x H)/weight	39.0 x 18.0 x 32.0 cm / 1.9 kg

Ref. No.	Packaging	EAN
9105301625	banderole wrap	4015 7041 8874 5
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	**Master pack barcode**
4	40.0 x 42.0 x 35.0 cm / 8.2 kg / 0.059 m³	4015 7041 8931 5

Product	NEW!	Gross capacity	Colour
S16 DC Thermoelectric Lightweight Cooler		approx. 16 litres	Grey

Voltage	12 V DC
Insulation	Lightweight EVA foam
Cooling unit	4 A peltier cell with 12 V feed, cooling max. 12°C below ambient temperature
Quality features	Lightweight EVA foam with nylon outer coating and inner PE bladder, fits 2-litre bottles, comfortable access and esy fastening to car safety belt on passenger or back seat, converts into a backpack for easy carrying, outer shell EVA pre shaped form allows comfortable fit
Dimensions (L x W x H)/weight	28.0 x 40.0 x 22.0 cm / 1.8 kg

Ref. No.	Packaging	EAN
9105302308	banderole wrap	4015 7041 8960 5
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	**Master pack barcode**
2	30.0 x 40.0 x 45.0 cm / 3.9 kg / 0.054 m³	4015 7041 8961 2

Product	NEW!	Gross capacity	Colour
S25 DC Premium Therm. Cooler		approx. 24 litres	Blue/silver

Voltage	12 V DC
Insulation	Light-weight full insulation
Cooling unit	4 A peltier cell with 12 V feed, cooling max. 15°C below ambient temperature
Quality features	Integrated ABS active battery security, adjustable shoulder strap, additional lid for transport use, outside materials: hard-wearing polyester and knobbly rubber base, fits 2-litre bottles standing, carrier handle serves to either fix or support the lid, cable compartment in lid, two-way ventilation system for fast cold distribution
Dimensions (L x W x H)/weight	42.0 x 30.0 x 42.0 cm / 4.3 kg

Ref. No.	Packaging	EAN
9105302299	shrink + card	4015 7041 8949 0
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	**Master pack barcode**
4	60.0 x 80.0 x 44.0 cm / 18.6 kg / 0.211 m³	4015 7041 8950 6

Thermoelectric Softbags

Product	NEW!	Gross capacity	Colour
S28 DC Thermoelectric Soft Cooler		approx. 28 litres	Blue

Voltage	12 V DC
Insulation	Light-weight full insulation
Cooling unit	4 A peltier cell with 12 V feed, cooling max. 15°C below ambient temperature
Quality features	Hard-wearing polyester on the outside, can be folded to a small size of 37.0 x 12.0 x 41.0 cm, press studs to fix folded pack, adjustable shoulder straps, velcro straps for fastening on a shopping trolley: "pay and pack", outside pocket for connection cable, flat outer pocket, two-way ventilation system for fast cold distribution
Dimensions (L x W x H)/weight	37.0 x 23.0 x 41.0 cm / 2.3 kg

Ref. No.	Packaging	EAN
9105302309	banderole wrap	4015 7041 8963 6
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	**Master pack barcode**
6	64.0 x 39.0 x 43.0 cm / 14.65 kg / 0.107 m³	4015 7041 8964 3

Product	NEW!	Gross capacity	Colour
S28 DC Thermoelectric Soft Cooler		approx. 28 litres	Orange

Voltage	12 V DC
Insulation	Light-weight full insulation
Cooling unit	4 A peltier cell with 12 V feed, cooling max. 15°C below ambient temperature
Quality features	Hard-wearing polyester on the outside, can be folded to a small size of 37.0 x 12.0 x 41.0 cm, press studs to fix folded pack, adjustable shoulder straps, velcro straps for fastening on a shopping trolley: "pay and pack", outside pocket for connection cable, flat outer pocket, two-way ventilation system for fast cold distribution
Dimensions (L x W x H)/weight	37.0 x 23.0 x 41.0 cm / 2.3 kg

Ref. No.	Packaging	EAN
9105302310	banderole wrap	4015 7041 8965 0
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	**Master pack barcode**
6	64.0 x 39.0 x 43.0 cm / 14.65 kg / 0.107 m³	4015 7041 8966 7

Product	NEW!	Gross capacity	Colour
S32 DC Thermoelectric Soft Cooler		approx. 32 litres	Maiolica blue

Voltage	12 V DC
Insulation	Light-weight full insulation
Cooling unit	4 A peltier cell with 12 V feed, cooling max. 15°C below ambient temperature
Quality features	Hard-wearing polyester on the outside, folds away to a small pack of 40.0 x 14.0 x 37.0 cm that can be fixed with press studs, easy access door-in-door bottle compartment, outside pocket for the connection cable and adapter, extra zipped and net pockets, large outside compartment, knobbly rubber base, adjustable carrying straps, two-way ventilation system for fast cold distribution
Dimensions (L x W x H)/weight	40.0 x 28.0 x 37.0 cm / 2.75 kg

Ref. No.	Packaging	EAN
9105302311	banderole wrap	4015 7041 8967 4
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	**Master pack barcode**
5	70.7 x 41.8 x 41.0 cm / 14.75 kg / 0.121 m³	4015 7041 8968 1

Product	NEW!	Gross capacity	Colour
S32 DC Thermoelectric Soft Cooler		approx. 32 litres	Beige

Voltage	12 V DC
Insulation	Light-weight full insulation
Cooling unit	4 A peltier cell with 12 V feed, cooling max. 15°C below ambient temperature
Quality features	Hard-wearing polyester on the outside, folds away to a small pack of 40.0 x 14.0 x 37.0 cm that can be fixed with press studs, easy access door-in-door bottle compartment, outside pocket for the connection cable and adapter, extra zipped and net pockets, large outside compartment, knobbly rubber base, adjustable carrying straps, two-way ventilation system for fast cold distribution
Dimensions (L x W x H)/weight	40.0 x 28.0 x 37.0 cm / 2.75 kg

Ref. No.	Packaging	EAN
9105302312	banderole wrap	4015 7041 89698
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	**Master pack barcode**
5	70.7 x 41.8 x 41.0 cm / 14.75 kg / 0.121 m³	4015 7041 8970 4

Thermoelectrics/Compressor Cooler

Product	Gross capacity	Colour
B40 AC/DC Hybrid Thermoelectrics/Compressor Cooler/Freezer	approx. 40 litres	Coronet blue

Voltage	Thermoelectrics: 12 V DC Compressor: 230 V AC (220 – 240 V) / 50 Hz / 0.65 A built-in adapter
Cooling unit	Thermoelectrics: 4 A peltier cell with 12 V direct feed in DC operation, cooling max. 20°C below ambient temperature Compressor: 230 V compressor for AC operation, cooling from +12°C to –15°C
Quality features	Maintenance-free, fully hermetic cooling system, reinforced insulation, casing of coated steel in blue, lid and cover of pale grey plastic material, lid with all-round rubber seal and magnetic lock, quick-chill functionality thanks to powerful AC compressor
Dimensions (L x W x H)/weight	52.0 x 51.0 x 45.0 cm / 21.0 kg

Ref. No.	Packaging	EAN
9105303000	printed box	4015 7041 8879 0
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	
1	55.0 x 55.0 x 48.0 cm / 25.7 kg / 0.17 m³	

Absorbtion Cooler

Product	Gross capacity	Colour
A40 AC/DC/Gas Three-Way Absorption Cooler	approx. 40 litres	Coronet blue

Voltage	12 V DC / 72 W / 6.1 A, 230 V AC (220 – 240 V) / 50 Hz / 72 W / 0.3 A built-in adapter
Gas (countries AT/CH/CZ/DE/HU/LU)	Liquified petroleum gas **50 mbar** / category $I_{3\,B/P}$ / consumption 15 g/h (max)
Quality features	12-volt connector for cigarette lighter, regulated by thermostat when on 230 V, piezo ignition, infinitely variable flame regulation on gas, cooling max. 20°C below ambient temperature, casing of coated steel in blue, lid and cover of pale grey plastic material, lid with all-round rubber seal and magnetic lock, additional recessed grips on both sides, ice cube tray included
Dimensions (L x W x H)/weight	52.0 x 51.0 x 45.0 cm / 19.5 kg

Ref. No.	Packaging	EAN
9105303525	printed box	4015 7041 8875 2
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	
1	55.0 x 55.0 x 48.0 cm / 22.6 kg / 0.17 m³	

The A40 is available in three versions with different preset gas pressure ratings: 30, 37 or 50 mbar.

Gas (countries DK/FI/NL/NO/SE)	Liquified petroleum gas **30 mbar** / category $I_{3\,B/P}$ / consumption 15 g/h (max)
	For all other technical data, please see above.

Ref. No.	Packaging	EAN
9105303518	printed box	4015 7041 8876 9
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	
1	55.0 x 55.0 x 48.0 cm / 22.6 kg / 0.17 m³	

Gas (CH/ES/FR/GB/IE/IT/LU/PT)	Liquified petroleum gas **28 – 30/37 mbar** / category I_{3+} / consumption 15 g/h (max)
	For all other technical data, please see above.

Ref. No.	Packaging	EAN
9105303522	printed box	4015 7041 8877 6
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	
1	55.0 x 55.0 x 48.0 cm / 22.6 kg / 0.17 m³	

AC Compressor Cooler

Product	Gross capacity	Colour
C40 AC Compressor Cooler/Freezer	approx. 40 litres	Coronet blue

Voltage	230 V AC (220 – 240 V) / 50 Hz / 0.65 A built-in adapter
Cooling unit	230 V compressor
Quality features	Refrigeration and deep-freezing, continuously variable thermostat +10°C to –15°C, maintenance-free, fully hermetic cooling system, quick-chill functionality thanks to powerful AC compressor and reinforced insulation, casing of coated steel in blue, lid and cover of pale grey plastic material, lid with all-round rubber seal and magnetic lock
Dimensions (L x W x H)/weight	52.0 x 51.0 x 45.0 cm / 22.0 kg

Ref. No.	Packaging	EAN
9105303016	printed box	4015 7041 8880 6
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	
1	55.0 x 55.0 x 48.0 cm / 25.7 kg / 0.17 m³	

MOBICOOL – Technologies of Cooling

THERMOELECTRICS



The thermoelectric principle was first discovered in 1834 by J.C.A. Peltier – that's why the temperature producing parts of thermoelectric systems are described as Peltier elements. It is based on the fact that – depending from the polarity – cold or heat is generated when a direct current (DC) flows through a junction of two dissimilar metals. This cooling or heating power is still increased by heat exchangers and fans. It is sufficient for small and medium-sized coolers.

Advantages

- Problem-free operation with 12/24 V or 220 – 240 V
- Cooling performance up to 30°C below ambient temperature (depending from the volume and the design of the device)
- Can be used for both cooling & heating
- Tilt-resistant
- Low weight and problem-free transport
- Wear- and maintenance-free
- Low-priced

COMPRESSOR TECHNOLOGY



Compressor devices are running with the help of a refrigerant. This cooling agent changes from the liquid to the gaseous state inside the evaporator.
At the same time the evaporator binds the warmth from the interior of the cooling device – it's getting cold. The compressor draws in the gaseous refrigerant, compresses it and passes it on to the condenser, where the binded heat is released again. The refrigerant changes to the original liquid state once more and flows back to the evaporator, where the cycle starts again.

Advantages

- Problem-free operation with 12/24 V or 100 – 240 V
- Refrigeration and deep-freezing
- Excellent cooling performance, even at extreme outdoor temperature
- Minimal consumption
- Integrated battery protection
- Ideal for solar operation

ABSORPTION TECHNOLOGY



Concentrated solution of ammonia is heated up to a vaporous state in a tank. Under high pressure, this gas enters a condenser where it is liquefied. There it is supplied with hydrogen, which causes the liquid ammonia to evaporate. At the same time heat is extracted from the cooler's interior. The ammonia gas then enters the absorber, where it is taken up by a weak ammonia solution. The saturated ammonia solution flows back to the tank, and the cycle starts again.

Advantages

- Problem-free operation with gas, 12/24 V or 220 – 240 V
- Relatively low-priced
- Noiseless working system

Electronic Accessories for Thermoelectric Coolers

Product	Colour
Y50 AC/DC Adapter	Black

Input voltage	230 V AC (220 – 240 V) / 50 – 60 Hz / 0.6 A
Output voltage	12 V DC
Continuous load	5 A / 60 W
Quality features	Integrated cigarette lighter socket for 12-volt consumers
Dimensions (L x W x H)/weight	17.0 x 11.5 x 6.5 cm / 0.5 kg

Ref. No.	Packaging	EAN
9105303879	printed box	4015 7041 8952 0
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	**Master pack barcode**
10	28.5 x 26.5 x 38.5 cm / 6.7 kg / 0.03 m³	4015 7041 8953 7

Product	Colour
Y24 24/12 DC/DC Converter	Black

Input voltage	30 V DC max.
Output voltage	12.5 V DC
Continuous load	4.5 A / 48 watts
Quality features	Energy-saving switch-mode design with very low power loss
Dimensions (L x W x H)/weight	11.8 x 4.3 x 14.3 cm / 0.33 kg

Ref. No.	Packaging	EAN
9105303829	printed box	4015 7041 8881 3
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	**Master pack barcode**
7	14.3 x 19.0 x 38.5 cm / 2.3 kg / 0.01 m³	4015 7041 8932 2

Product	Colour
Y12 Battery Monitor	Black

Cut-off/Cut-in	11.6 V DC / 12.8 V DC
Continuous load	5 A max.
Quality features	Integrated voltage monitor for universal 12-volt applications using the cigarette lighter socket as output, automatic cut-off in case of under-voltage and cut-in at normal voltage, status indication via LEDs
Dimensions (L x W x H)/weight	17.7 x 12.3 x 3.6 cm / 0.162 kg

Ref. No.	Packaging	EAN
9105303827	printed box	4015 7041 8882 0
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	**Master pack barcode**
9	14.3 x 19.0 x 38.5 cm / 1.46 kg / 0.01 m³	4015 7041 8933 9

Product	Colour
Y03 Extension cable 280 cm	Black

Quality features	High quality cable, 280 cm, with 12-volt plug and cigarette lighter socket
Dimensions (L x W x H)	7.4 x 4.0 x 18.0 cm / 0.11 kg

Ref. No.	Packaging	EAN
9105303822	printed box	4015 7041 8883 7
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	**Master pack barcode**
12	14.3 x 38.5 x 19.0 cm / 3.0 kg / 0.01 m³	4015 7041 8934 6

Product	Colour
Y06 Extension cable 650 cm	Black

Quality features	High quality cable, 650 cm, with 12-volt plug and cigarette lighter socket
Dimensions (L x W x H)	7.4 x 4.0 x 18.0 cm / 0.22 kg

Ref. No.	Packaging	EAN
9105303826	printed box	4015 7041 8884 4
Pack size	**Master pack dimensions (L x W x H)/weight/volume**	**Master pack barcode**
12	14.3 x 38.5 x 19.0 cm / 3.0 kg / 0.01 m³	4015 7041 8935 3

Plug-n-play power – all over the world!

All indoor products and most outdoor products by MOBICOOL come with country-specific technology. Whether 230 volts AC in Europe, 240 volts AC in Australia or 110 volts AC in Canada – our customers get their products with a plug that is common in their country.
Watch out for the note: "The unit is supplied with a plug to suit specific national requirements". It marks all products in this catalogue that are available with country-specific plugs.

Cooling in the car ...

... or on the domestic mains

The Exciting World of Mobile Refrigeration

Founded in 1991, MOBICOOL International Ltd. ranks as one of the leading manufacturers of mobile refrigeration products in Far East/Asia. Our core business is engineering, manufacturing and export of thermoelectric portable coolers and compressor coolers/freezers for customers in all continents.
Our reference list includes the names of car and truck manufacturers, automotive accessory importers, retail chains and business promotion companies.

MOBICOOL has made considerable impact on the mobile refrigeration market with ground-breaking innovations. The secret behind our success: a well balanced blend of pioneering spirit, uncompromising quality and global distribution.

MOBICOOL
International Ltd.

91080000182 08/10

Suites 2207–2211, 22/F., Tower 1, The Gateway,
25 Canton Road, Tsim Sha Tsui, Kowloon, HONG KONG
Phone: (852) 2461 1386
Fax: (852) 2466 5553
E-mail: mbc@mobicool.com
Website: www.mobicool.com

ISO/TS 16949:2002 ISO 14001